

200×1200mm  
**WOODEN**  
Collection



## ABOUT US

It is a great evolution in ceramic floorings that evoke wood, fusing warmth and naturalness. In this catalogue you will find a wide variety of woods, shades and finishes. The investment in R&D allows us to be the latest not only in the production process, we also have the technology to decorate our pieces providing them with a better finish and a more realistic effect. A careful selection of the most characteristic woods and of greater aesthetic value make our product more differentiating.

We promote our ecological character by obtaining certificates that guarantee our effort. The objective is to preserve the present and the future. Efficient energy management, rational use of water and the minimization of emissions are some of our objectives. For this reason we have recently been granted to our product.

## OUR VISION

At here, excellence is not a onetime effort, it's a custom to be followed on regular basis, and so we abide by all the necessary norms and deliver supreme quality resources. We will to continue doing so and attain success by being a market leader. Apart from that, we also desire to be recognized as one of the most fruitful employers for our team, along with being a productive patron for our associates.



**CRAFTED WITH  
RESPONSIBLY  
SOURCED  
MATERIALS**





**INNOVATIVE  
CRAFTSMAN  
SHIP.**

Our wood tiles go beyond imitation;  
they celebrate craftsmanship.  
Meticulously designed and manufactured  
with precision, these tiles capture  
the essence of real wood, delivering  
authenticity without compromise.


**GVT  
200X  
1200MM**

# TECHNICAL SPECIFICATION

Our elite size 200x1200mm, is carved to adore your spaces by endless possibilities of endurance & eternity. Our Majestic creation is crafted to last the generation with its anti-scratch, fire-resistant, frost-resistant, chemical-resistant, it has low absorption. Shades of aplomb lie within our plank surfaces to reflect the indeed ceramic art. It exemplifies the robustness & vigor of extravaganza. Surfaces that awestruck the exceptional feel when touched with hands or eye sights. Finishes that make a bold move while leaving you speechless.

---

-  Scratch Resistance
-  Fire Resistance
-  Chemical Resistance
-  Highly Compact Material
-  Non Slipping



## ATELIER BEIGE

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
7

### FEATURES





ATELIER  
BEIGE



## ATELIER GREY

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
7

### FEATURES





ATELIER  
GREY

## AUTUMAN 01

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
9

### FEATURES





**AUTUMN 01**

## DELAWARE TEAK

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
13

### FEATURES





**DELAWARE  
TEAK**



## EGYPTION TEAK

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
8

### FEATURES





EGYPTION  
TEAK



## EGYPTION WOOD OLIVE

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
5

### FEATURES





EGYPTION  
WOOD OLIVE



## LINO ASH

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
13

### FEATURES





**LINO  
ASH**

## NATURALIA MIELE

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM


RANDOM  
13

### FEATURES





NATURALIA  
MIELE



## NATURALIA BROWN

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
12

### FEATURES





NATURALIA  
BROWN

## OAK GREY

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
7

### FEATURES





OAK  
GREY



## ROVERNA

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
9

### FEATURES





ROVERNA

# VINTAGE WHITE

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
11

## FEATURES





VINTAGE  
WHITE



## VIRGINIA SNOW

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
13

### FEATURES





**VIRGINIA  
SNOW**



## VIRGINIA TEAK

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
13

### FEATURES





**VIRGINIA  
TEAK**



## VIRGINIA ASH

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
13

### FEATURES





**VIRGINIA  
ASH**



## VIROLA COOPER

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
5

### FEATURES





VIROLA  
COOPER



## WHITE WOOD

---

FINISH  
MATT G.V.T

SIZE  
200X1200MM

RANDOM  
5


### FEATURES






WHITE  
WOOD






Brick Pattern




Standard Block Pattern




Diagonal Block Pattern



Basketweave Pattern



Diagonal Basket Pattern




Square Basket Pattern




Single Herringbone Pattern



Double Herringbone Pattern




Diagonal Herringbone Pattern



Haddon Hall Pattern



Chevron Pattern



Monticello Pattern

## TECHNICAL SPECIFICATIONS

Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

CHARACTERISTIC	TEST METHOD	REQUIREMENTS	OUR STANDARD
<b>DIMENSIONS &amp; SURFACE QUALITY</b>			
Deviation in Length & Width	ISO-10545-02	± 0.10%	Within Criteria
Deviation in Thickness	ISO-10545-02	± 5.00%	Within Criteria
Straightness of Sides	ISO-10545-02	± 0.10%	Within Criteria
Rectangularity	ISO-10545-02	± 0.10%	Within Criteria
Surface Flatness	ISO-10545-02	± 0.50%	Within Criteria
Surface Quality	ISO-10545-02	Min. 95% of the Tiles shall be free from visible defects that would impair the appearance of a major area of the Tiles.	Within Criteria
<b>PHYSICAL PROPERTIES</b>			
Water Absorption	ISO 10545-03	Average ≤ 0.08%. Individual 0.10% Max.	Within Criteria
Modulus of Rupture	ISO 10545-04	R ≥ 35 N/mm <sup>2</sup>	Compliant
Breaking Strength	ISO 10545-04	Min. 1300 N	Compliant
Moisture Expansion	IS 13630-3	0.02 Max	Compliant
Moh's Hardness	EN 101	Min. 5	Compliant
Surface Abrasion Resistance	ISO 10545-07	Class II Min.	Compliant
Linear Thermal Expansion	ISO 10545-08	Max. 6.0 x 10 <sup>-6</sup>	Compliant
Thermal Shock Resistance	ISO 10545-09	Min. 10 Cycles	Compliant
Crazing Resistance	ISO 10545-11	4 Cycles at 7.5 Bar Min.	Compliant
Impact Resistance	ISO 10545-05	0.55 Min.	Compliant
Frost Resistance	ISO 10545-12	Required	Compliant
Resistance to Deep Abrasion (Unglazed Tiles)	ISO 10545-06	175 Max.	Compliant
Bulk Density	IS 15622-2	2.20 g/cc	Compliant
<b>CHEMICAL PROPERTIES</b>			
Resistance to High & Low Concentrations of Acids & Alkalis	ISO 10545-13	As per Mfg.	No visible effect
Resistance to household chemicals & swimming pool Salts	ISO 10545-13	Min. GB	Compliant
Stain Resistance	ISO 10545-14	Min. Class 3	Compliant
<b>Packing Details (Per Box)</b>			
Dimension	Pcs.	Sq. Mtr.	Sq. Ft.
200x1200mm	5	1.20	12.92

**Disclaimer:** Product images shown in this Catalogue are for Design Representation. All efforts are made to show accurate colour of the product but actual product colour may differ from the printed image due to printing limitations. It is advised to see the product samples for actual colour reference. Shade variation is inherent characteristic of ceramic products. Hence different sizes and batches of same design may have variation in colours. Please follow the Tile Laying instructions printed on the box before installing the Tiles. Company may change the designs, colours, randomness or book-match without prior intimation. Due to continuous technology upgrade technical specification of the products may change without prior intimation.

200×1200мм  
**WOODEN**  
Collection