



G L O S S Y F I N I S H

BE- AUTY

300X600MM
COLLECTION



300X600MM
WALL TILES

300x600mm | 250x750mm
300x300mm | 300x450mm

APPLICATIONS



LIVING



HOTEL



OFFICE



INDOOR



BATHROOM



WALL



GLOSSY FINISH

Discover our versatile wall tiles,
bring elegance and durability
to every environment.



8003



LT



HL 2 R-6




8004



LT

R-4




HL 1

R-4



DK

R-4




HL 2

R-4







8014



LT



R-4



HL 3




FINISH
GLOSSY

300X
600MM




8038



LT

R-4



HL 1



DK

R-4





8039



LT



R-4 HL 1



DK

R-4





8051



LT



R-4 HL 1



HL 3






8052



LT

R-5



HL 1



HL 2





8055



LT



HL 1



DK




HL 8







8059



LT



HL 1




DK






8060



LT



HL 1



DK


R-3

R-3





8072



LT



HL 1



DK

R-6

R-6





8073



LT



R-6 HL 1



FINISH | 300X
GLOSSY | 600MM



8080



LT




R-4 HL 1






8084



LT



R-3 HL 1




DK

R-3





8088



LT



R-3 HL 1

FINISH
GLOSSY


300X
600MM



8102



LT



HL 2



FINISH
GLOSSY

300X
600MM



8104



LT




HL 1



FINISH | 300X
GLOSSY | 600MM



8106



LT



R-3 HL 1



DK

R-3





8108



LT



HL 1



DK

R-4

R-4



FINISH | 300X
GLOSSY | 600MM



8114



LT




R-3 HL 1






8139



LT



HL 1



DK


R-3

R-3





8148




LT




R-4 HL 1



8149



LT



HL 1

FINISH
GLOSSY

300X
600MM



8150



LT




R-4 HL 1





8153



LT

R-3



HL 1




HL 3





8154



LT



R-4 HL 1



HL 2 R-4







8173



LT



HL 1




DK






8174




LT

R-2




HL 1



DK

R-2



HL 2

R-2






8185



LT



R-3 HL 1




HL 3





8186



LT



HL 1



HL 2

R-2





8190



LT



R-4



HL 2

HL 1



FINISH
GLOSSY | 300X
600MM



8207



LT



R-3 HL 1



FINISH
GLOSSY | 300X
600MM



8208



LT



HL 1



DK

R-4

R-4





8210




LT



R-3 HL 1



8219



LT



R-3 HL 1




DK

R-3





8227



LT



HL 1



DK

R-3

R-3





8262



LT



HL 1



DK






8264



LT



HL 1



DK

R-4

R-4





8266



LT



HL 1



DK



HL 2

R-4

R-4





8267



LT



R-3 HL 1



8268



LT



HL 1




HL 2






8269



LT



HL 1




HL 2



FINISH
GLOSSY | 300X
600MM



8276



LT

R-4




HL 1

R-4





8277



LT

R-4



HL 1



DK

R-4





8278



LT

R-3



HL 1




HL 2





8282



LT



HL 1




HL 2






8285



LT



R-3 HL 1




DK

R-3






8300



LT



HL 1



DK

R-3

R-3





8302



LT



HL 1

R-2





8303



LT




HL 1





8305



LT



HL 1



HL 3

R-4



FINISH
GLOSSY | 300X
600MM



8306



LT




R-4 HL 1






8310



DK



R-4 HL 1





8313



LT



R-3 HL 1

FINISH
GLOSSY | 300X
600MM



8336



LT




R-3 HL 1






8347



LT



HL 1




DK







8349



LT



HL 1



DK





8358



DK



R-3 HL 1





8359



LT




R-4 HL 1






8360



LT



HL 1



DK


R-3

R-3





8362



LT



R-3 HL 1



DK



R-3 HL 2





8363



LT



R-6 HL 1




HL 2 R-6





AC-6219



LT



HL 1



DK



HL 2






AC-6260




LT



R-3 HL 1



DK



R-3 HL 3





AC-6265



LT



HL 2



DK

R-3

R-3





AC-6276



LT



HL 2



DK

R-3


R-3



FINISH
GLOSSY | 300X
600MM



AC-6293



LT



R-3 HL 1



DK



R-3 HL 2







AC-6384



LT



R-3 HL 1




HL 5 R-3





AC-6445



LT



R-4 HL 1



DK



R-4 HL 2



FINISH
GLOSSY

300X
600MM



AC-6456




LT



HL 1



DK



HL 2







AC-6458



LT



R-3 HL 1



HL 2





AC-6463



LT



R-6 HL 1



HL 2





AC-6466



LT



HL 1



DK



HL 2





AC-6490



LT



HL 1



DK




HL 2





AC-6514



LT



HL 1



DK



HL 2



FINISH
GLOSSY | 300X
600MM



AC-6518



LT



R-3 HL 1



DK




R-3 HL 2






AC-6530




LT



R-4 HL 1



DK



R-4 HL 2




FINISH
GLOSSY | 300X
600MM



AC-6531



LT



R-3



HL 2





AC-6536




LT



HL 1



DK



HL 2



FINISH
GLOSSY


300X
600MM



AC-6538



LT



R-4



HL 1



HL 2



FINISH
GLOSSY

300X
600MM



AC-6542



LT



HL 1



DK



HL 2





AC-6548



LT



HL 1



DK




HL 2






AC-6550



LT

R-3



HL 1



HL 2




FINISH
GLOSSY


300X
600MM




AC-6575




LT



HL 2



DK




HL 3






AC-6581




LT



HL 1



DK



HL 2




FINISH
GLOSSY


300X
600MM




AC-6583




LT



HL 1



DK



HL 2




FINISH
GLOSSY


300X
600MM




AC-6611



LT



HL 1




HL 2





AC-6643



LT



HL 1



DK




HL 2



FINISH | 300X
GLOSSY | 600MM




AC-6697



LT



R-3 HL 1



DK



R-3 HL 2






AC-6701



LT



HL 1



DK



HL 2





AC-6703



LT



R-5 HL 1



HL 2



FINISH | 300X
GLOSSY | 600MM




AC-6705



LT



R-3 HL 1



DK




R-3 HL 2





AC-6706




LT

R-4



HL 1




HL 2





AC-6707



LT



HL 1



DK



HL 2





AC-6708



LT



R-4 HL 1



DK



R-4 HL 2




FINISH
GLOSSY


300X
600MM



AC-6710



LT



R-4 HL 1



DK



R-4 HL 2





AC-6713



LT



HL 1



DK




HL 2





AC-6718



LT



HL 1



DK



HL 2





AC-6805



LT



R-4



DK

R-4



FINISH
GLOSSY | 300X
600MM



AC-6808



LT




R-4 HL 1





AC-6817



LT



R-4 HL 1



DK

R-4





AC-6827



LT



HL 1



DK


R-3

R-3





AC-6829



LT



HL 1



DK

R-3


R-3



FINISH | 300X
GLOSSY | 600MM




AC-6850



LT



HL 1




HL 2

R-4






AC-6856



LT



HL 1



DK



HL 2





AC-6857



LT



HL 1



HL 2



FIXING WALL TILES



WALL REQUIREMENT

THE WALL SHOULD BE STRONG AND FLAT AND THE SURFACE SHOULD BE SMOOTH. THE WALL SHOULD BE WAXED/PAINTED. THE WALL SHOULD BE CLEAN AND DRY. IF THE TILING HAS TO BE DONE ON PLYWOOD, THE SURFACE OF WALL SHOULD SEALED WITH 50% VOLUME MIXTURE OF PVA AND WATER.



TILES PREPARATION

MIX THE TILES FROM DIFFERENT CARTOON WHICH WILL HELP IN FINE BLENDING OF SHADES.



TILES LAYING

FIRSTLY, APPLY THE HIGH QUALITY CERAMIC ADHESIVE ON THE WALL AND PLACE FIRST TILE ON THE CORNER. APPLY EVEN PRESSURE ON THE FOUR CORNER OF THE TILE TO ENSURE STICKING. FILL THE AREA OF WALL THE CAN BE FITTED WITH THE TILE WITHOUT CUTTING AND LEAVE IT FOR AT LEAST 12 HOURS. FILL THE REST OF AREA WITH THE MEASURES AND CUT FILES.



TAMPING PROCESS

TO ENSURE THE PROPER CONTACT OF TILES WITH THE WALL, TEMP EVERY TILE WITH A RUBBER MALLET TAMP.



APPLYING GROUT

ON THE NEXT DAY, THE GROUTING IS DONE. APPLY THE GROUT DIAGONALLY BETWEEN THE TILE USING A SPONGE TO FILL THE GAPS BETWEEN THE TILES. CLEAN AND WIPE THE SURPLUS GROUT WITH A SPONGE.



WINDOW RECESS TILLING AND CUTTING

TILES HAS TO BE CUT IN "L" SHAPE FOR WINDOW RECESS. CUT A LINE FROM CENTER TO EDGE AND THEN DRAW A RIGHT ANGLE LINE VERTICALLY DOWN. CUT THE LINE TO GET AN "L" SHAPE THAT CAN IN A WINDOW.



ACCESSORY TILE FITTING

WHILE LAYING THE NORMAL TILES, KEEP ON EMPTY SPACE WHERE THE ACCESSORY TILES WILL BE FITTED. APPLY THE ADHESIVE ON THE BACK OF ACCESSORY TILES AND PLACE IT UNIFORMLY IN THE SPACE AND APPLY EVEN PRESSURE TO PLACE THE ACCESSORY TILE.



TILES DRILLING

APPLY MASKING TAPE TO COVER THE AREA TO BE DRILLED. MARK THE POSITION OF HOLE AND DRILL THE HOLE WITH LOWEST POSSIBLE PRESSURE ON THE DRILL.



CURVE CUTTING

TO FIT THE TILES IN A CURVED SURFACE OF WASHBASIN AND OTHERS, MEASURE AND MARK THE CURVE ON A CARDBOARD BY PLACING THE CARDBOARD ON THE BASIN AND THEN CUT IT.



HOLE CUTTING

TO PASS THE PIPE THROUGH THE TILE, THE TILES NEED TO BE CUT IN A SPECIFIC MANNER. MARK THE POSITION ON THE FILE. WHICH THE TILE. WHICH THE TILE WILL OCCUPY. DRAW A STRAIGHT LINE PASSING THROUGH THE CENTER OF THE CIRCLE. CUT THE TILE ON THE DRAWN AREA. THEN CUT THE SEMI CIRCLE ON EACH OF THE HALF AND WHEN THESE TWO HALVES ARE PLACED TOGETHER, IT WILL FORM A HOLE.

TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN - 159 / IS 13753	MEAN VALUE
DIMENSION & SURFACE QUALITY		
1) Dimension	±0.5%	±0.2%
2) Deviation in Thickness	±0.6 mm	±0.2 mm
3) Straightness of sides	±0.3%	±0.2%
4) Rectangularity	±0.5%	±0.3%
5) Surface Flatness	±0.5%	±0.3%
6) Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
1) Water Absorption	> 10%	13.5%
2) Bending Strength	> 150 kg/cm ²	200 - 250 kg/cm ²
3) Scratch hardness (Mohs)	Min. 3	Min. 3
4) Crazing	1 Cycle	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
1) Staining Resistance	Min. Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydrofluoric Acid
2) Household Chemical	Min. Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycles	CONFORMS
2) Thermal Expansion	Max - 9E ⁻⁰⁶	CONFORMS

Our conformity to the above standard is applicable only for premium quality

PACKING DETAIL

Size	pcs./ Box	sq. ft/ Box	sq. mtrs/ Box	Weight/ Box	Box/Pallet	Pallet/ Container	Total Box/ Container	Total Sq. Mts/ Container	Total Weight/ Container
30x60cm	5	9.68	0.9	14.0 kgs	96	20	1920	1728.00	27456.0
30x30cm	8	7.75	0.72	10.0 kgs	120	23	2760	1987.20	27950.00

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.

2. Our conformity to the above Fast is applicable only for Quality.

3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

