



Express The Lavish Charm

300X600MM
COLLECTION

300X600MM
WALL TILES

300x600mm | 250x750mm
300x300mm | 300x450mm




GLOSSY REACTIVE FINISH

Unveil the artistic beauty of this collection,
where dynamic designs & vibrant glazes meet.
Each tile is a masterpiece with a blend of
depth & brilliance.





24225




DK




HL 1 (R)



24226



LT



HL 1 (R)


FINISH | 300X
GLOSSY REACTIVE | 600MM



24227



LT



HL 1 (R)






24228




LT



HL 1 (R)



DK



HL 2 (R)



FINISH | 300X
GLOSSY REACTIVE | 600MM



24229



LT




HL 1 (R)






24230




DK




HL 1 (R)



24231



LT




HL 1 (R)

FINISH
GLOSSY REACTIVE | 300X
600MM



24232



LT




HL 1 (R)




FINISH
GLOSSY REACTIVE | 300X
600MM



24233



DK




HL 1 (R)




FINISH
GLOSSY REACTIVE | 300X
600MM



24234



DK




HL 1 (R)






24235



DK



HL 1 (R)


GLOSSY FINISH

Experience the stunning charm of a glossy collection that truly fascinates everyone. We have a range of designs in tiles that enhance your ambiance.






8229



159 LT




HL 1




DK





8230



159 LT



HL 1




DK






8231



159 LT



HL 1



DK







8232



157 LT



HL 1



DK





8233



157 LT



HL 1



DK

FINISH | 300X
GLOSSY | 600MM



8235



157 LT



HL 1



DK





8237



HL 1




HL 2


FINISH | 300X
GLOSSY | 600MM




8241




8240 DK




8241 DK




8242 DK




8243 DK




8244 DK




8245 DK



8246 DK



8247 DK



8248 DK


FINISH | 300X
GLOSSY | 600MM




8257




8250 DK




8251 DK




8252 DK




8253 DK




8254 DK



8255 DK




8256 DK



8257 DK



8258 DK




8259 DK


FINISH | 300X
GLOSSY | 600MM




8260




158 LT




8260 HL1




8260 HL5




8260 HL6




8260 HL8



8260 HL9



8260 HL10



8260 HL11




FINISH | 300X
GLOSSY | 600MM




8261



159 LT



8261 HL1



8261 HL2



8261 HL3




8261 HL4




FINISH | 300X
GLOSSY | 600MM




8265



158 LT



HL 1




DK




FINISH
GLOSSY | **300X
600MM**




8317




8315 LT




8315 DK




8316 LT




8316 DK




8317 LT




8317 DK




8318 LT




8318 DK




8319 LT




8319 DK




8320 LT




8320 DK




8321 LT




8321 DK




8322 LT




8322 DK




8323 LT



8323 DK



8324 LT




8324 DK


FINISH | 300X
GLOSSY | 600MM




8325




8325 LT



8325 DK



8334 LT



8334 DK



FINISH | 300X
GLOSSY | 600MM



8385



LT



HL 1



HL 2




FINISH | 300X
GLOSSY | 600MM



8386



LT



HL 1




FINISH | 300X
GLOSSY | 600MM



8387



LT




HL 1




FINISH | 300X
GLOSSY | 600MM



8388



LT




H11



FINISH | 300X
GLOSSY | 600MM



8389



LT



H1





8390



LT




R-3 HL 1

FINISH | 300X
GLOSSY | 600MM




8391




187 LT




8391 HL1




8391 HL2



8391 HL3




8391 HL4




8391 HL5



8391 HL6



8391 HL7




FINISH | 300X
GLOSSY | 600MM




8392




8392 HL1




8392 HL2




8392 HL3



8392 HL4



8392 HL5



8392 HL6



FINISH
GLOSSY | 300X
600MM



EX 81045 HL1



FINISH | 300X
GLOSSY | 600MM



EX 81046 HL1




FINISH
GLOSSY | 300X
600MM



EX 81047 HL1



FINISH
GLOSSY | **300X
600MM**



EX 81048 HL1




FINISH
GLOSSY | **300X
600MM**



EX 81049 HL1



FINISH | 300X
GLOSSY | 600MM



EX 81050 HL1



FINISH | 300X
GLOSSY | 600MM



EX 81051 HL1





EX 81052 HL1

FINISH | 300X
GLOSSY | 600MM



EX 81053 HL1




FINISH | 300X
GLOSSY | 600MM



EX 81056 HL1



FINISH | 300X
GLOSSY | 600MM



EX 81057 HL1



FINISH | 300X
GLOSSY | 600MM




EX 81058 HL1





157 LT




158 LT



159 LT



170 LT



171 LT



MATT FINISH

Feel the classical yet sublime surface of this matt collection. We have fabulous designs in it that empower your space to the next level.






9158



LT



HL 1




DK







9159



LT



HL 1



DK


FINISH
MATT | 300X
600MM



9160



LT




HL 1






9161



LT



HL 1



DK





9162



LT



HL 1



DK



MATT LUSTER FINISH

Immerse in the elegance of our Matt Lustre collection, where soft sheen meets sophisticated texture. Discover tiles that bring a subtle allure to any space.



FINISH
MATT LUSTER

300X
600MM



35276




DK (L)





35277




DK (L)



35301



LT (L)



HL 1 (L)



DK (L)



FINISH
MATT LUSTER

300X
600MM



35302



HL 1 (L)



FIXING WALL TILES



WALL REQUIREMENT

THE WALL SHOULD BE STRONG AND FLAT AND THE SURFACE SHOULD BE SMOOTH. THE WALL SHOULD BE WAXED/PAINTED. THE WALL SHOULD BE CLEAN AND DRY. IF THE TILING HAS TO BE DONE ON PLYWOOD, THE SURFACE OF WALL SHOULD SEALED WITH 50% VOLUME MIXTURE OF PVA AND WATER.



TILES PREPARATION

MIX THE TILES FROM DIFFERENT CARTOON WHICH WILL HELP IN FINE BLENDING OF SHADES.



TILES LAYING

FIRSTLY, APPLY THE HIGH QUALITY CERAMIC ADHESIVE ON THE WALL AND PLACE FIRST TILE ON THE CORNER. APPLY EVEN PRESSURE ON THE FOUR CORNER OF THE TILE TO ENSURE STICKING. FILL THE AREA OF WALL THE CAN BE FITTED WITH THE TILE WITHOUT CUTTING AND LEAVE IT FOR AT LEAST 12 HOURS. FILL THE REST OF AREA WITH THE MEASURES AND CUT FILES.



TAMPING PROCESS

TO ENSURE THE PROPER CONTACT OF TILES WITH THE WALL, TEMP EVERY TILE WITH A RUBBER MALLET TAMP.



APPLYING GROUT

ON THE NEXT DAY, THE GROUTING IS DONE. APPLY THE GROUT DIAGONALLY BETWEEN THE TILE USING A SPONGE TO FILL THE GAPS BETWEEN THE TILES. CLEAN AND WIPE THE SURPLUS GROUT WITH A SPONGE.



WINDOW RECESS TILLING AND CUTTING

TILES HAS TO BE CUT IN "L" SHAPE FOR WINDOW RECESS. CUT A LINE FROM CENTER TO EDGE AND THEN DRAW A RIGHT ANGLE LINE VERTICALLY DOWN. CUT THE LINE TO GET AN "L" SHAPE THAT CAN IN A WINDOW.



ACCESSORY TILE FITTING

WHILE LAYING THE NORMAL TILES, KEEP ON EMPTY SPACE WHERE THE ACCESSORY TILES WILL BE FITTED. APPLY THE ADHESIVE ON THE BACK OF ACCESSORY TILES AND PLACE IT UNIFORMLY IN THE SPACE AND APPLY EVEN PRESSURE TO PLACE THE ACCESSORY TILE.



TILES DRILLING

APPLY MASKING TAPE TO COVER THE AREA TO BE DRILLED. MARK THE POSITION OF HOLE AND DRILL THE HOLE WITH LOWEST POSSIBLE PRESSURE ON THE DRILL.



CURVE CUTTING

TO FIT THE TILES IN A CURVED SURFACE OF WASHBASIN AND OTHERS, MEASURE AND MARK THE CURVE ON A CARDBOARD BY PLACING THE CARDBOARD ON THE BASIN AND THEN CUT IT.



HOLE CUTTING

TO PASS THE PIPE THROUGH THE TILE, THE TILES NEED TO BE CUT IN A SPECIFIC MANNER. MARK THE POSITION ON THE FILE. WHICH THE TILE. WHICH THE TILE WILL OCCUPY. DRAW A STRAIGHT LINE PASSING THROUGH THE CENTER OF THE CIRCLE. CUT THE TILE ON THE DRAWN AREA. THEN CUT THE SEMI CIRCLE ON EACH OF THE HALF AND WHEN THESE TWO HALVES ARE PLACED TOGETHER, IT WILL FORM A HOLE.

TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN - 159 / IS 13753	MEAN VALUE
DIMENSION & SURFACE QUALITY		
1) Dimension	±0.5%	±0.2%
2) Deviation in Thickness	±0.6 mm	±0.2 mm
3) Straightness of sides	±0.3%	±0.2%
4) Rectangularity	±0.5%	±0.3%
5) Surface Flatness	±0.5%	±0.3%
6) Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
1) Water Absorption	> 10%	13.5%
2) Bending Strength	> 150 kg/cm²	200 - 250 kg/cm²
3) Scratch hardness (Mohs)	Min. 3	Min. 3
4) Crazing	1 Cycle	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
1) Staining Resistance	Min. Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydrofluoric Acid
2) Household Chemical	Min. Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycles	CONFORMS
2) Thermal Expansion	Max - 9E ⁻⁰⁶	CONFORMS

Our conformity to the above standard is applicable only for premium quality

PACKING DETAIL

Size	pcs./ Box	sq. ft/ Box	sq. mtrs/ Box	Weight/ Box	Box/Pallet	Pallet/ Container	Total Box/ Container	Total Sq. Mts/ Container	Total Weight/ Container
30x60cm	5	9.68	0.9	14.0 kgs	96	20	1920	1728.00	27456.0
30x30cm	8	7.75	0.72	10.0 kgs	120	23	2760	1987.20	27950.00

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.
3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.